


# IPG WINE BOX

## Flexible wine rack

The IPG Wine Box is a folding crate and wine rack in one: ideal for safe transport, in line with professional standards, and perfect for a clearly arranged storage system. Simply a flexible wine rack.



### Wine in its best position

The wine crate serves as both an attractive wine rack and durable transport container. Its robust construction provides excellent protection, and the generous interior dimensions provide sufficient space for the proper storage of twelve standard 750 ml wine bottles. Stacking several crates not only creates an attractive and functional wine rack, but also ensures a clear and orderly arrangement thanks to the label holders on the large doors. The empty wine crate takes up little space and can be collapsed and then conveniently stored or transported.



### Properties and advantages

- Clear and orderly arrangement for your wine cellar
- Product protection during transport and storage
- Holds twelve standard 750 ml bottles
- Properly stores wine bottles in a horizontal position
- Easy to set up and take down (collapsed only 20 % of the volume)
- Bottles can be removed from both the front and back sides when the crates are stacked
- Flexible stackable storage
- Robust and resistant to moisture
- UV-resistant and safe to wash
- Label holder on the doors
- Color: black
- 100% recyclable

# Assembly Instruction



1. Place the bottom of the wine box onto a hard underlay with the smooth surface facing down (ribs up)
2. Fit the long wall into the hinge shells (hinge openings) of the floor with the smooth side facing outwards. First push slightly downwards and then to the right until the wall audibly locks into place
3. Repeat this procedure with the second long wall
4. Fit the short wall into the hinge shells (hinge openings) of the floor with the smooth side facing outwards. First push slightly downwards and then to the right until the wall audibly locks into place
5. Repeat this procedure with the second short wall
6. Turn the assembled wine box over so that the smooth sides of the floor and walls face upwards.
7. Place onto a hard underlay
8. Lift a long and a short side upwards to form a right angle (90°)
9. Place both flaps of the long side into the openings of the short side. Press the long side outwards and secure (you will hear a "click"). Repeat this procedure with all other sides of the box. The box is then finished. Lift the opening flap (with label holder) out of the locking. Pull the opening flap outwards.

## Technical data

Exterior dimensions (mm)	485 x 266 x 247
Interior dimensions (mm)	460 x 241 x 228
Fill volume (L)	25
Tare weight (g)	1580
Load capacity (kg)	18
Compressive strength when stacked (kg)	500
Layer height of empties (mm)	12
Dimensions when collapsed, folded outward (mm)	944 x 724 x 17,5
Total capacity in m <sup>3</sup> at a stack height of 1.92 m and with twelve 750 ml bottles per crate (bottles)	750

## Delivery units (empty boxes) unmounted in shrink foil

Boxes per Euro pallet	204 pcs.
Boxes per truck (13,20 x 2,46 x 2,50 m)	6732 pcs.
Euro pallets per truck (13,20 x 2,46 x 2,50 m)	33 pcs.
Total height incl. pallet	1900 mm
Color	black
Material	black

### Technical Information:

The IPG Wine Box is suitable for use at temperatures from 0°C to 50°C. Assuming proper handling, the technical characteristics of the crate can be guaranteed under these conditions. The compressive strength when stacked is a maximum of 500 kilograms.





### **IPG Intelligent Packaging Group AS**

Hensmoveien 46 • 3516 Hønefoss • Norway  
Sentralbord: +47 38 99 40 13 • Mobil: +47 960 49 556  
E-post: [info@ip-group.no](mailto:info@ip-group.no) • [www.ip-group.no](http://www.ip-group.no)

### **IPG Intelligent Packaging Group AB**

Västrevångleden 2 • SE-302 41 Halmstad • Sweden  
Switchboard: +46 35 10 24 80 • Fax: +46 35 12 71 60  
Email: [info@ip-group.se](mailto:info@ip-group.se) • [www.ip-group.se](http://www.ip-group.se)