

# IPG EUR 7

3-runners plastic pallet with exact dimensions of an EPAL specified EUR-pallet



# IPG Eur E7 1200 x 800



## 3-runners plastic pallet with exact dimensions of an EPAL specified EUR-pallet

Access openings, deck level and blocks of the IPG Eur 7 matches exactly the dimensions of an EUR-pallet. This enables this plastic pallet to be used in automatic storage and transport systems that are configured for the handling of wooden EPAL pallets. Stopper, light barriers and sensors do not need to be adapted. Steel bars in the deck and the runners of the IPG Eur 7 ensure a secure longterm storage in the high rack. Your advantages over a wooden pallet: long service life, consistently high quality, hygienic surfaces and a trouble-free and safe performance.



**3 runners**



**Open deck**






**Steel profile inserts reinforce the runners**

**Completely closed runners**

### Anti-slip options

- ➔ Safety Rim as an option
- ➔ Strips topside deck
- ➔ Grommets underside deck for forks



### Technical data

Bottom support	3 runners
Top deck	open
Dimensions (mm)	1200x800x144
Load capacities kg static	5000
Load capacities kg dynamic	1500
Load capacities kg racking	1250
Weight (kg) HDPE	16



### **IPG Intelligent Packaging Group AS**

Hensmoveien 46 • 3516 Hønefoss • Norway  
Sentralbord: +47 38 99 40 13 • Mobil: +47 960 49 556  
E-post: [info@ip-group.no](mailto:info@ip-group.no) • [www.ip-group.no](http://www.ip-group.no)

### **IPG Intelligent Packaging Group AB**

Västrevångleden 2 • SE-302 41 Halmstad • Sweden  
Switchboard: +46 35 10 24 80 • Fax: +46 35 12 71 60  
Email: [info@ip-group.se](mailto:info@ip-group.se) • [www.ip-group.se](http://www.ip-group.se)