




IPG Intelligent Packaging Group AS  
Hensmoveien 46  
3516 Hønefoss, NORWAY



+47 960 49 556




geir.persen@ip-group.no  
www.ip-group.com



## IP-Grid Stabilizing Grass PRO



# IP-Grid Stabilizing Grass PRO




The IP-Grid Stabilization Grass PRO is designed to ensure a stable, sustainable and navigable gravel surface. Installation of IP-Grid stabilization offers a solution to combat traditional track formation, potholes and puddles, whilst also retaining the permeable qualities of a gravel surface.

- **100% recycled PP**
- **100% recyclable**
- **No adhesives**
- **Geotextile: 90 g/m<sup>2</sup>**
- **Black colour**
- **High breaking strain**

# Technical specifications

## IP-Grid Stabilizing Grass PRO

- Dimensions: 5,0: 120 x 80 cm
- Height: 50 mm
- Honeycomb diameter: 60 mm
- Material: 100% recycled High-Density Polyethylene (HDPE)
- UV resistance: UV stabilizer
- Weight per unit: +/- 4,10 kg
- Weight per m<sup>2</sup>: +/- 4,27 kg
- Colour: Black
- Breaking strain, unfilled: +/- 105 t/m<sup>2</sup> (PTV 828)
- Biological resistance: Very high
- Chemical resistance: Very high
- Connection system: Integrated connection system



## Packaging

- Quantity per pallet: 45
- m<sup>2</sup> per pallet: 43,20 m<sup>2</sup>
- Quantity per full truckload: 1440 (32 pallets)
- m<sup>2</sup> per full truckload: 1382,40 m<sup>2</sup>
- Dimensions of pallet: 120 x 80 x 240 cm (one-way pallet)

**THANK YOU FOR  
TRUSTING US!**



**IP-Grid Stabilizing Grass PRO**